Z-41 84 5 12 75



E. I. DU PONT DE NEMOURS & COMPANY

WILMINGTON, DELAWARE 19898

cc: A. J. Dahl - 353

B. W. Karrh - N11400

L. J. Papa - 269

Pral File

1.C.

AR 226-1585

POLYMER PRODUCTS DEFARTMENT EXPERIMENTAL STATION

PERSONAL AND CONFIDENTIAL

July 16, 1981

TO: DR. Y. L. POWER - PPD, Parkersburg

FROM: S. S. STAFFORD 55 Jahra

ANALYSIS OF BLOOD SAMPLES FOR PERFLUOROOCTANOATE

(Job No. 810-578; PRAL Nos. 81-2218-2232,81-2600-2604,81-2758;
Notebook Nos. E22514,E26238)

As requested in your letters of 5/18 and 6/12/81 to L. J. Papa, the 21 blood samples submitted then have been analyzed for perfluorooctanoate (Cg). Results and sample identification are given in the attached table.

As noted there, the analyses were done using a gas chromatographic method specific for Cg (Lab Method Number ES-567) but results have been reported as ppm F for comparison with total organic fluorine analyses. Precision is  $\pm$  10% relative standard deviation over most of the concentration range, somewhat less at the lowest values. The lower limit for quantitation is 0.007 ppm F (0.01 ppm perfluoro-octanoic acid), with a detection limit of  $\sim$  0.004 ppm which can be distinguished from the reagent background but not well quantitated.

Please contact me (772-4440) or L. J. Papa (772-2745) if you have any questions regarding the analyses. General questions on blood sampling can be directed to J. W. Raines or L. F. Percival.

Attachment jah

Key Words:

Perfluoroctanoic Acid Perfluoroctanoate Blood Analysis GC

There's a world of things we're doing something about

EXP000035 EID713849

TABLE I

CONCENTRATION OF PERFLUOROOCTANOATE IN BLOOD (a)

Sample PRAL No	. Date Sampled	P.R.No.	Name	GC Analysis Date Analyzed	(b) [Cg], vg F/g blood
		4354		6/12/81	0.034
81-2218		4554		6/12/81	0.009
81-2219	. /00 /03	4380		6/12/81	0.76
31-2220		4639		6/12/81	0.098
81-2221	- 1. 10.1			6/12/81	0.64
81-2222	- 1. 10.	4335		6/12/81	0.031
81-2223	- 4- 4- 1	4559		6/11/81	0.17
81-2224		WS		6/11/81	3.9
81-222		4331		6/11/81	4.8
81-222		4500		6/11/81	0.045
81-222		ws		6/8/81	0.042
81-222		4473		6/8/81	0.095
81-222 81-223	- 1 100	-		6/8/81 6/9/81 8	0.25
01 000	1 5/14/81	_		6/8/81	0.31
81-223		1809		6/8/81	1.3
81-223		767		6/17/81	2,1
81-260	- 1 1	w.s.		6/17/81	0.019
81-260		_		6/15/81	0.012
81-260	2 3/20/81				•
81-260	3 5/28/81	3558		6/17/81	0.057
81-260		1830		6/17/81	0.75
81-275		-		6/26/81	0.095

<sup>(</sup>a) Analysis is described in Lab Method ES-567 ("Determination of Perfluorocctanoic Acid in Blood, Gas Chromatographic Method", S. Stafford, 4/3/81), using the packed column GC analysis with perfluoro-n-octanoic acid as calibration standard.

\*REDACTED\* EID713850

<sup>(</sup>b) Although the analysis is specifically for perfluorooctanoate (acid or salts), concentrations are given in ppm fluorine for comparison with the results of total organic fluorine analyses. (ppm F = 0.688 x ppm perfluorooctanoic acid) Estimated uncertainty is ± 10% relative standard deviation. The lower limit for quantitation is 0.007 µgF/g. The detection limit is ~ 0.004 µgF/g, but concentrations in that range cannot be well quantitated and are reported as < 0.007. None detected (n.d.) is reported for samples with [CG; < 0.004 ppm, which cannot be distinguished from reagent background.